uvex	SAFETY EYEWEAR	22.09.2014 SBU-E-PGM-PM

Product Datasheet model pheos guard s 9192 680

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product characteristics	* functional expansion of the successful pheos s range * winning combination of pheos s spectacles, extra frame s and headband * comfortable frame creates a close seal to protect from particle ingress and splashes. * Top choice for working environments with dust exposure
Technical details	
Frame	**Frame**
Material	PBT+PC
Colour	black
	Foam Carrier
Material	PUR
Colour	black

	Temples
Material	POM/TPE
Colour	black-grey
	Marking
Manufacturer’s ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,1 mm
Coating	supravision extreme
Colour	clear
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer’s ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
	Headband
Material	synthetic headband
Features	adjustable
Colour	grey-black

Miscellaneous	
Weight	39 g
Packing	4 spectacles per box 128 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170