


**SKYTEC®****BETA 1™****ONE OF THE LIGHTEST GLOVES IN THE INDUSTRY FOR MAXIMUM COMFORT**

The patented nitrile foam coating efficiently channels excess fluid from the glove's surface and the glove provides good grip in damp, oily or dry conditions.

**FEATURES**

- › Patented nitrile foam coating enhances protection as well as providing good wet grip by channeling away excess fluid from the glove surface
- › Excellent resistance to abrasion
- › Flexible and comfortable, with excellent dexterity
- › Good grip in damp, oily or dry conditions
- › Solid knit wrist provides a secure fit
- › Tested for harmful substances according to Oeko-Tex® Standard 100
- › Lightweight 18gg seamless liner

**SUITABLE FOR****Typical Industries**

- Construction
- Logistics
- Maintenance
- Manufacturing
- Transport
- Utilities

**Applications**

- Assembly
- Final Fix
- Goods Handling
- Handling Mildly Abrasive Surfaces
- Light Fabrication
- Supervision

**CERTIFICATION**

EN388: 2003



4121

See overleaf for explanation

**BETA 1™****PRODUCT INFORMATION**

<b>MATERIALS</b>	LINER:	Nylon/Spandex
	COATING:	Nitrile Foam
<b>COLOUR</b>	Red/Black	
<b>LENGTH (mm)</b>	220-270 (size dependent)	
<b>CUFF STYLE</b>	Solid Knit Wrist	

**ORDERING DETAILS**

SIZE	CODE	PACKAGING	VEND COMPATIBLE OPTION	
			CODE	PACKAGING
6/XS	SKY500	10 pairs per bag	SKYV500	120 individually bagged pairs per case
7/S	SKY501		SKYV501	
8/M	SKY502	120 pairs per case	SKYV502	
9/L	SKY503		SKYV503	
10/XL	SKY504		SKYV504	
11/XXL	SKY505		SKYV505	


**RECOMMENDATIONS FOR USE**

- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

**CERTIFICATION LEGENDS**

MECHANICAL  
HAZARDS  
EN 388

## PERFORMANCE LEVELS

**ABOUT GLOBUS**

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

**EUROPE**

[www.globus.co.uk](http://www.globus.co.uk)

**E:** [gloves@globus.co.uk](mailto:gloves@globus.co.uk)

**T:** +44 (0)161 877 4747

**F:** +44 (0)161 877 4746

**MIDDLE EAST AND AFRICA**

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)

**T:** +971 4 882 9962

**F:** +971 4 882 9963



Globus (Shetland) Ltd, 14 Central Park, Mosley Road, Trafford Park, Manchester, M17 1NY, UNITED KINGDOM  
Globus EMEA FZE, UA03, 831<sup>st</sup> Street, Jebel Ali, Dubai, UNITED ARAB EMIRATES

© 2016 Globus (Shetland) Ltd | GLOBUS-SKYTEC-DATA\_BETA1-0816