



376R

3/4 COATED NITRILE FOAM OVER NITRILE GRIP GLOVE

A flexible and robust glove with a double-dipped nitrile coating that extends across the knuckles to provide enhanced resistance to liquids. The additional coating of nitrile on the palm allows greasy, wet and oily surfaces to be gripped with confidence.

FEATURES

- › 3/4 coated nitrile with an additional coating of foam nitrile on the palm, fingertips and knuckles
- › Seamless nylon/polyester knitted liner
- › Protects the hand from oils, hydrocarbons, grease and abrasion
- › Long lasting grip performance in wet and oily conditions
- › High mechanical resistance to abrasion
- › Anatomical hand shape design helps prevent hand fatigue
- › Wrist protection



SUITABLE FOR

Typical Industries

- Aerospace
- Automotive
- Construction
- Oil and Gas
- Utilities
- Waste Management

Suitable Applications

- Assembly
- Handling Oily / Greasy Components
- Maintenance
- Metal Fabrication
- Mixing Mortar
- Refuse Collection

CERTIFICATION

CAT II



EN 388:2016



4121X

See overleaf for explanation





376R

PRODUCT INFORMATION

MATERIALS	LINER:	13 gauge nylon, polyester
	COATING:	Foam nitrile over nitrile
COLOUR	Grey/blue and black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

ORDERING DETAILS

SIZE	CODE	PACKAGING
6/S	SHO3761	10 pairs per bag 120 pairs per case
7/M	SHO3762	
8/L	SHO3763	
9/XL	SHO3764	
10/XXL	SHO3765	


RECOMMENDATIONS FOR USE

- **USE:** General handling glove. Not suitable for thermal, electrical or chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016
PERFORMANCE LEVELS*



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

EUROPE

www.globusgroup.com

E: sales@globus.co.uk
T: +44 (0)161 877 4747
F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com
T: +971 4 882 9962
F: +971 4 882 9963



Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2020 Globus (Shetland) Ltd | SHO-DATA-376R_0620_1